

## TURFSTONE™

---

For erosion control and supported turf.

Turfstone has long been a favorite of landscape architects and engineers for areas requiring a supported turf. Its filigree design makes it an attractive and permanent solution for emergency access areas, embankments, spillways, and environmentally sensitive parking areas. Turfstone has the option of being filled with grass or aggregates depending on the project's drainage requirements.



---

## COLORS



NATURAL

---

## SHAPES & SIZES



STANDARD  
60 CM X 40 CM X 8 CM  
23.5" X 15.75" X 3.25"

## FEATURES

### Applications


Commercial Vehicular

Residential Vehicular

### Surface Texture

Standard

## PATTERNS



**Turfstone A**  
standard (100%)

## PACKAGING

	Unit Thickness	Sq. Ft. Bndl.	Units Sq. Ft.	Lbs Bndl.	Units Bndl.
Standard	8	72	0.39	1747.94	28

### Additional Turfstone™ Information

Sold in full bundles only. Product is shipped on refundable skids. Turfstone 10cm is not a stock item. Contact your territory manager for lead time.

## IMPORTANT INFORMATION

*Turfstone has long been a favorite of landscape architects and engineers for areas requiring a supported turf. Its filigree design makes it an attractive and permanent solution for emergency access areas, embankments, spillways, and environmentally sensitive parking areas. Voids are filled with grass or colored aggregates.*

**Base Requirement & Bedding Course** – standard paver base specification.

**Handling and Installation** – Do not compact with a large compactor. Care must be taken to avoid tossing stones so that they bang against each other. Damage to the surface appearance can happen if handled too rough.

### Jointing Material and Joint Stabilization

- Soil and grass seed.

**i** All measurements are nominal

Colors, product data, and availability are subject to change without notice. Please confirm all details with your local Unilock Dealer or call 1-800-UNILOCK (1-800-864-5625) for availability in your area. The colors shown should only be used as a guide. Final color selections should always be made from actual samples.

