

Issuing Date 06-Aug-2014

Revision date 28-Dec-2022

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product Name

Sure Klean® 600

Other means of identification Product Code(s) UN number

10020 UN3264

Recommended use of the chemical and restrictions on useRecommended useRestricted to professional users.Uses advised againstNo information available

Details of the supplier of the safety data sheet Manufacturer Address PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046 Emergency telephone number 8:00 AM – 5:00 PM CST Monday-Friday NON-BUSINESS HOURS (INFOTRAC)


785-865-4200 800-535-5053

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Inhalation (Gases)	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 2
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

Label elements



Page 1/8



Precautionary Statements - Prevention

Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray Wear respiratory protection Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%	Trade Secret
Water	7732-18-5	60 - 100	*
Hydrogen Chloride	7647-01-0	10 - 30	*

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

<u> </u>			
General advice	Immediate medical attention is required.		
Eye contact	Keep eye wide open while rinsing. Immediate medical attention is required. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do not rub affected area.		
Skin Contact	Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.		
Inhalation	Remove to fresh air. Call a physician or poison control center immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.		
Ingestion	Call a physician or poison control center immediately. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean mouth with water and drink afterwards plenty of water.		
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.		
Most important symptoms and effects, both acute and delayed			

Symptoms	The product causes burns of eyes, skin and mucous membranes.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.	

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

<u>Specific hazards arising from the chemical</u> The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.		
Environmental precautions			
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not allow into any sewer, on the ground or into any body of water. Prevent product from entering drains. See Section 12 for additional ecological information.		
Methods and material for containme	ent and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so. Dike far ahead of liquid spill for later disposal.		
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.		
7. HANDLING AND STORAGE			
Precautions for safe handling			
Advice on safe handling	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.		
Incompatible materials	Strong bases. Strong acids. Strong oxidizing agents. Metals.		

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen Chloride 7647-01-0	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm (vacated) Ceiling: 7 mg/m ³ Ceiling: 5 ppm Ceiling: 7 mg/m ³	IDLH: 50 ppm Ceiling: 5 ppm Ceiling: 7 mg/m ³
NIOSH IDLH Immediately Dangerou	is to Life or Health		
Other information	Vacated limits revoked by th (11th Cir., 1992).	e Court of Appeals decision in AFL	-CIO v. OSHA, 965 F.2d 96
Appropriate engineering controls			
Engineering Controls	Showers. Eyewash stations. Ventilation systems. Application equipment, scaffolding, swing stages and support systems must be constructed of acid resistant materials. Brush on or apply at the lowest practical pressure. Do not atomize during application. Beware of wind drift. Proper work practices and planning should be utilized to avoid contact with workers, passersby, and non-masonry surfaces.		
Individual protection measures, su	uch as personal protective eq	uipment	
Eye/face protection	Tight sealing safety goggles	. Face protection shield.	
Skin and body protection	Wear protective gloves and	protective clothing.	
Respiratory protection	respiratory protection should	led or irritation is experienced, NIO I be worn. Positive-pressure supplie ntaminant concentrations. Respira current local regulations.	ed air respirators may be
General Hygiene Considerations	away from food, drink and a	or smoke. Wash contaminated clo nimal feeding stuffs. Regular cleani d. Avoid contact with skin, eyes or	ing of equipment, work area

Information on basic physical and chemical properties

Physical state Appearance Color	Liquid clear Slight amber	Odor Odor threshold	Pungent No information available
Property pH Melting point / freezing point °F Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific gravity Water solubility	Values 0.28 -30 °C / -22 °F No information available <	Remarks • Method @ 1:4 dilution Not Applicable	

Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity No information available No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to avoid

Contamination.

Incompatible materials

Strong bases. Strong acids. Strong oxidizing agents. Metals.

Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Corrosive
Inhalation	Avoid breathing vapors or mists.
Eye contact	Corrosive to the eyes and may cause severe damage including blindness.
Skin Contact	Corrosive. Causes severe burns.
Ingestion	Harmful if swallowed. Can burn mouth, throat, and stomach.

Component Information

[Chemical name	LD50/Oral	LD50/Dermal	Inhalation LC50
	Water 7732-18-5	> 90 mL/kg (Rat)		
	Hydrogen Chloride 7647-01-0	238 - 277 mg/kg (Rat)	> 5010 mg/kg (Rabbit)	= 1.68 mg/L (Rat)1 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

The product causes burns of eyes, skin and mucous membranes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure_

Sensitization Germ cell mutagenicity Carcinogenicity	No informatic No informatic This product IARC or NTP	on available. does not contain any carci	nogens or potential carcino	ogens as listed by OSHA,
Chemical name	ACGIH	IARC	NTP	OSHA

Hydrogen Chloride	- Group 3	- X		
7647-01-0				
IARC (International Agency for Res Group 3 - Not Classifiable as to Carci OSHA (Occupational Safety and He X - Present	earch on Cancer) nogenicity in Humans alth Administration of the US Department of i	Labor)		
Reproductive toxicity	No information available.			
STOT - single exposure	May cause respiratory irritation.			
STOT - repeated exposure	No information available.			
Target organ effects	Eyes, Respiratory system, Skin.			
Aspiration hazard	No information available.			
Numerical measures of toxicity - P	roduct Information			
	based on chapter 3.1 of the GHS docur	ment .		
ATEmix (oral)	892 mg/kg			
ATEmix (dermal)	18804 mg/kg			
ATEmix (inhalation-gas)	2112 mg/l			
ATEmix (inhalation-dust/mist)	0.2 mg/l			
12. ECOLOGICAL INFORMATION				
Ecotoxicity_				
Persistence and degradability				
No information available.				
Bioaccumulation				
No information available.				
Other adverse effects	No information available			
Other adverse enects				
	13. DISPOSAL CONSIDERAT	TIONS		
Waste treatment methods				
Disposal of wastes	Disposal should be in accordance with ap regulations.	pplicable regional, national and local laws and		
Contaminated packaging	Do not reuse container.			
US FPA Waste Number	D002			
US EPA Waste Number	D002			

14. TRANSPORT INFORMATION

DOT	Regulated
UN number	UN3264
UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric Acid)
Transport hazard class(es)	8
Packing group	II

15. REGULATORY INFORMATION

International Inventories **TSCA** DSL/NDSL

Complies Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No.	Weight-%	SARA 313 - Threshold Values %
Hydrogen Chloride - 7647-01-0	7647-01-0	10 - 30	1.0
SARA 311/312 Hazard Categories			
Acute health hazard	Yes		
Chronic Health Hazard	Yes		
Fire hazard	No		
Sudden release of pressure hazard	No		
Reactive Hazard	No		

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrogen Chloride 7647-01-0	5000 lb	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Hydrogen Chloride	5000 lb	5000 lb	RQ 5000 lb final RQ
7647-01-0			RQ 2270 kg final RQ
UC Otata Damulatiana		•	

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical na	ame New .	Jersey	Massachusetts	Pennsylvania
Hydrogen Chl 7647-01-(X	Х	Х
L7647-01-0				
		16. OTHER INFORI	MATION	
<u>NFPA</u>	Health hazards 3	Flammability 0	Instability 0	Physical and chemical properties -
HMIS	Health hazards 3	Flammability 0	Physical hazards 0	Personal protection X
Prepared By	Regulato	ry Department		

Issuing Date	06-Aug-2014
Revision date	28-Dec-2022
Revision Note	
SDS sections updated 6 7	

Disclaimer

The information contained on the Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

End of Safety Data Sheet